


ARMOS

ABOVE YOUR IMAGINATION



3D COLLECTION

 600x
600mm

PUSH THE BOUNDARIES OF *interior design.*

3D COLLECTION

Experience
the difference 3D tiles
can make.

IS 15622



CM/L-7900120715




ADVANTAGES

Rich in details, these tiles offer instinctive elegance and high-performance advantages that are a perfect blend of art and the latest technology in world-class designs and longevity.



EASY
INSTALLATION




EASY
MAINTENANCE



EASY
CLEANING




FROST
RESISTANCE



RESISTANCE
TO ACIDS AND
BASES



STAIN
RESISTANCE



RESISTANT
TO THERMAL
SHOCK



HYGIENIC
SURFACE



FIRE
RESISTANCE



WATER
RESISTANCE



HIGH
DURABILITY



ANTI SLIP
SURFACE

APPLICATION

Discover the contemporary and metropolitan appeal that best suit your design needs without sacrificing the character and functionality of your spaces.



RESIDENTIAL SPACES



COMMERCIAL BUILDINGS



AIRPORT TERMINALS



SPA CENTRES




WALL TILE




FLOOR TILE



INDUSTRIAL



SCHOOLS



HOTELS



OFFICES



SHOPS



BATHROOM

It's A Clickable Catalogue



Tap To Explore Each Product

Tap on particular product to Explore full size view.




Tap To Back To Index Page


Again tap on the Tiles Page To return to the Index page




3D-01




3D-02




3D-03



3D-04



3D-05



3D-06



3D-07




3D-08



3D-09




3D-10



3D-11



3D-12




3D-13



3D-14



3D-15



3D-16



3D-17



3D-18

It's A Clickable Catalogue




Tap To Explore Each Product

Tap on particular product to Explore full size view.



Tap To Back To Index Page

Again tap on the Tiles Page To return to the Index page



3D-19




3D-20



3D-21



3D-22




3D-23



3D-24



3D-25



3D-26



3D-27



3D-28



3D-29



3D-30



3D-31



3D-32



3D-33



3D-34



3D-35



3D-36

It's A Clickable Catalogue




Tap To Explore Each Product

Tap on particular product to Explore full size view.



Tap To Back To Index Page

Again tap on the Tiles Page To return to the Index page



3D-37




3D-38



3D-39



3D-40



3D-41




3D-42




3D-43




3D-44



3D-45



3D-46



3D-47



3D-48



3D-49



3D-50



3D-51



3D-52



3D-53



3D-54

It's A Clickable Catalogue



Tap To Explore Each Product

Tap on particular product to Explore full size view.



Tap To Back To Index Page

Again tap on the Tiles Page To return to the Index page




3D-55




3D-56



3D-57



3D-58



3D-59



3D-60




3D-61



3D-62

3D-01



DIMENSION :


600X600 MM

FINISH :

GLOSSY

RANDOM :

01



 [BACK TO INDEX](#)




3D-02




DIMENSION :
600X600 MM

FINISH :
GLOSSY

RANDOM :
01



3D-03



DIMENSION :


600X600 MM

FINISH :


GLOSSY

RANDOM :

01




3D-04



DIMENSION :
600X600 MM
FINISH :
GLOSSY


RANDOM :
01



 **BACK TO INDEX**



3D-05



DIMENSION :





600X600 MM

FINISH :

GLOSSY


RANDOM :

01



 [BACK TO INDEX](#)

3D-06



DIMENSION :





600X600 MM

FINISH :

GLOSSY


RANDOM :

01



 [BACK TO INDEX](#)

3D-07



DIMENSION :





600X600 MM

FINISH :

GLOSSY

RANDOM :

01





3D-08



DIMENSION :

600X600 MM

FINISH :

GLOSSY


RANDOM :

01



[BACK TO INDEX](#)

3D-09



DIMENSION :


600X600 MM

FINISH :


GLOSSY

RANDOM :

01



3D-10



DIMENSION :


600X600 MM

FINISH :

GLOSSY


RANDOM :

01





3D-11



DIMENSION :





600X600 MM

FINISH :

GLOSSY


RANDOM :

01







 [BACK TO INDEX](#)

3D-12




DIMENSION :
600X600 MM
FINISH :
GLOSSY

RANDOM :
01



 **BACK TO INDEX**

3D-13



DIMENSION :

600X600 MM

FINISH :

GLOSSY

RANDOM :

01



 [BACK TO INDEX](#)



3D-14



DIMENSION :

600X600 MM

FINISH :

GLOSSY

RANDOM :

01




3D-15




DIMENSION :
600X600 MM
FINISH :
GLOSSY

RANDOM :
01




 **BACK TO INDEX**

3D-16



DIMENSION :
600X600 MM
FINISH :
GLOSSY


RANDOM :
01



 **BACK TO INDEX**



3D-17



DIMENSION :





600X600 MM

FINISH :


GLOSSY

RANDOM :

01



3D-18



DIMENSION :


600X600 MM

FINISH :


GLOSSY

RANDOM :

01



3D-19



DIMENSION :


600X600 MM

FINISH :

GLOSSY

RANDOM :

01






> ELEVATORS
> STAIRS

3D-20



DIMENSION :
600X600 MM
FINISH :
GLOSSY

RANDOM :
01



 **BACK TO INDEX**

3D-21



DIMENSION :

600X600 MM

FINISH :


GLOSSY

RANDOM :

01



3D-22



DIMENSION :


600X600 MM

FINISH :

GLOSSY


RANDOM :

01





3D-23



DIMENSION :


600X600 MM

FINISH :

GLOSSY

RANDOM :

01




 [BACK TO INDEX](#)

3D-24



DIMENSION :
600X600 MM
FINISH :
GLOSSY

RANDOM :
01



3D-25



DIMENSION :



600X600 MM

FINISH :

GLOSSY

RANDOM :


01



 [BACK TO INDEX](#)



3D-26



DIMENSION :


600X600 MM

FINISH :


GLOSSY

RANDOM :

01



3D-27



DIMENSION :


600X600 MM

FINISH :


GLOSSY

RANDOM :

01



3D-28



DIMENSION :


600X600 MM

FINISH :

GLOSSY


RANDOM :

01





3D-29



DIMENSION :
600X600 MM

FINISH :
GLOSSY

RANDOM :
01



 **BACK TO INDEX**

3D-30



DIMENSION :

600X600 MM

FINISH :


GLOSSY

RANDOM :

01



3D-31



DIMENSION :


600X600 MM

FINISH :

GLOSSY


RANDOM :

01





3D-32



DIMENSION :


600X600 MM

FINISH :

GLOSSY

RANDOM :

01



3D-33



DIMENSION :

600X600 MM

FINISH :


GLOSSY

RANDOM :

01



3D-34



DIMENSION :


600X600 MM

FINISH :

GLOSSY

RANDOM :


01



NO
PLACE
THIS
LIKE
E
P
L
A
C
E
T
H
I
S



3D-35



DIMENSION :

600X600 MM

FINISH :

GLOSSY

RANDOM :

01



3D-36



DIMENSION :


600X600 MM

FINISH :


GLOSSY

RANDOM :

01



3D-37



DIMENSION :





600X600 MM

FINISH :

GLOSSY

RANDOM :

01



 [BACK TO INDEX](#)



3D-38



DIMENSION :

600X600 MM

FINISH :

GLOSSY

RANDOM :

01



3D-39



DIMENSION :


600X600 MM

FINISH :


GLOSSY

RANDOM :

01



3D-40



DIMENSION :





600X600 MM

FINISH :

GLOSSY


RANDOM :

01





3D-41



DIMENSION :


600X600 MM

FINISH :

GLOSSY

RANDOM :

01



3D-42



DIMENSION :





600X600 MM

FINISH :

GLOSSY

RANDOM :

01



3D-43



DIMENSION :

600X600 MM

FINISH :

GLOSSY

RANDOM :

01





3D-44



DIMENSION :


600X600 MM

FINISH :

GLOSSY

RANDOM :

01



3D-45




DIMENSION :
600X600 MM
FINISH :
GLOSSY

RANDOM :
01



 **BACK TO INDEX**



3D-46



DIMENSION :





600X600 MM

FINISH :

GLOSSY

RANDOM :

01





3D-47



DIMENSION :


600X600 MM

FINISH :


GLOSSY

RANDOM :

01



3D-48



DIMENSION :


600X600 MM

FINISH :

GLOSSY

RANDOM :

01



3D-49



DIMENSION :

600X600 MM

FINISH :

GLOSSY

RANDOM :

01






3D-50




DIMENSION :
600X600 MM
FINISH :
GLOSSY

RANDOM :
01



 **BACK TO INDEX**

3D-51



DIMENSION :





600X600 MM

FINISH :

GLOSSY

RANDOM :

01



3D-52



DIMENSION :


600X600 MM

FINISH :

GLOSSY

RANDOM :

01





3D-53



DIMENSION :

600X600 MM

FINISH :

GLOSSY

RANDOM :

01




3D-54



DIMENSION :
600X600 MM
FINISH :
GLOSSY

RANDOM :
01



3D-55



DIMENSION :

600X600 MM

FINISH :

GLOSSY

RANDOM :

01



[BACK TO INDEX](#)






3D-56



DIMENSION :
600X600 MM
FINISH :
GLOSSY

RANDOM :
01



3D-57



DIMENSION :

600X600 MM

FINISH :


GLOSSY

RANDOM :

01




3D-58



DIMENSION :
600X600 MM
FINISH :
GLOSSY


RANDOM :
01



 **BACK TO INDEX**




3D-59




DIMENSION :
600X600 MM
FINISH :
GLOSSY

RANDOM :
01



 **BACK TO INDEX**

3D-60



DIMENSION :


600X600 MM

FINISH :

GLOSSY

RANDOM :

01



3D-61



DIMENSION :

600X600 MM

FINISH :

GLOSSY

RANDOM :

01





3D-62



DIMENSION :


600X600 MM

FINISH :

GLOSSY

RANDOM :

01



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

WE SUPPORT



Simultaneously we take all measures to curb the waste caused because we believe in keeping our country clean - Swachh Bharat at all costs.



We support the Government's initiative of Make In India and thus manufacture all of our products on our own land.

SR. NO.	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600 x 600 mm	8.5 Approx.	4	1.44 Sq. Mtr.